Rules of Algebra

For adding and multiplying real numbers.

Addition Rules

- 1. Associative a + (b + c) = (a + b) + c
- 2. Commutative a + b = b + a
- 3. 0 is the Additive Identity.
- 4. Additive Inverses are negatives:

a + (-a) = 0.

Multiplication Rules 1. Associative a(bc) = (ab)c2. Commutative ab = ba3. 1 is the Multiplicative Identity. 4. Multiplicative Inverses are recipricals: $a\left(\frac{1}{a}\right) = 1.$



Notes

- There are no extra rules for subtraction and division.
- Subtraction is just addition by negatives.
- Division is just multiplication by recipricals.
- You don't need to memorize the names associative and commutative. Just know that if you have several terms added together, then neither the order of the terms nor the order you try to add them matters. Same with several factors multiplied together.
- The distributive law controls everything about how addition and multiplication mix together.

Factors vs. Terms

Terms

Numbers and expressions being added/subtracted.

Notes

• Distribution expands factors into terms.

$$a(b+c) = ab + ac$$
 $(x+2)(x+3) = x^2 + 5x + 6$

• Factoring un-distributes terms back into factors.

$$a(b+c) = ab + ac$$
 $(x+2)(x+3) = x^2 + 5x + 6$

• Factors cancel in fractions, but terms don't.

$$\frac{(x-3)(x+5)}{(x+1)(x-3)} = \frac{(x+5)}{(x+1)} \quad \text{and} \quad \frac{4xy}{y^2x^2} = \frac{y}{3x} \quad \text{but} \quad \underbrace{\frac{4x+3}{4x+7} \neq \frac{3}{7}}_{\text{can't cancel the } 4x \text{ term}} \quad \text{and} \quad \underbrace{\frac{4x+3}{4x+7} \neq \frac{x+3}{x+7}}_{\text{can't cancel the } 4 \text{ term}}$$

• Powers distribute to factors, but not to terms.

$$(ab)^3 = a^3 b^3$$
 and $\sqrt{9x^2} = 3x$ but $(a+b)^3 \neq a^3 + b^3$ and $\sqrt{9+x^2} \neq 3+x$

Factors

Numbers and expressions being multiplied/divided.

Exponent Rules

Powers represent repeated multiplication	
$a^m = \underbrace{a \cdot a \cdot a \cdots a}_{m\text{-copies}}.$	
Therefore these rules are true:	
1. $a^0 = 1$	4. $(a^m)^n = a^{mn}$
2. $(a^m)(a^n) = a^{m+n}$	5. $(ab)^n = a^n b^n$
3. $\frac{a^m}{a^n} = a^{m-n}$	6. $\left(\frac{a}{b}\right)^n = \frac{a^n}{b^n}$

Negative Powers Negative powers are reciprocals. $a^{-n} = \frac{1}{a^n}$ Fractional Powers Fractional powers include square & cube roots. $\sqrt[n]{a} = a^{1/n}$

Notes

• Powers count repeated factors (the same way coefficients count repeated terms).

 $a \cdot a \cdot a = a^3$ just like a + a + a = 3a

• Powers distribute to factors.

$$(ab)^3 = a^3 b^3$$
 and $\sqrt{9x^2} = \sqrt{9} \cdot \sqrt{x^2} = 3x$

• (Common mistake) Powers do not distribute to terms!

$$(a+b)^3 \neq a^3 + b^3$$
 and $\sqrt{9+x^2} \neq 3+x$

• (Common mistake) Negative powers don't make numbers negative. And fractional powers don't mean the result is a fraction. Don't confuse powers with multiplication!