

The Destructor and the Assignment Operator

Lecture 7

Sections 13.9, 14.5

Robb T. Koether

Hampden-Sydney College

Mon, Jan 29, 2018

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function

- 2 The `this` Pointer

- 3 The Assignment Operator
 - The Automatic Assignment Operator

- 4 Assignment

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function
- 2 The `this` Pointer
- 3 The Assignment Operator
 - The Automatic Assignment Operator
- 4 Assignment

The Destructor

The Destructor

```
Type::~Type(); // Prototype;
```

- The destructor destroys an object, i.e., it deallocates the memory used by the object.

The Destructor

The Destructor

```
Type::~Type(); // Prototype;
```

- The destructor destroys an object, i.e., it deallocates the memory used by the object.
- The destructor should never be invoked explicitly.

Purpose of the Destructor

- The destructor is used to destroy an object when it passes out of scope.
 - A **global** variable passes out of scope when the program terminates.
 - A variable that is **local to a function** passes out of scope when execution returns from the function.
 - A variable that is **local to a block** { } passes out of scope when execution leaves that block.
 - A **volatile** object passes out of scope when the evaluation of the expression in which it occurs is completed.
- In general, the scope of an object is determined by where the object is created. When execution leaves that environment, the object is destroyed.

Point Destructor

Example (Point Destructor)

```
~Point() {}
```

Example (Vector Destructor)

```
~Vector()  
{  
    delete [] m_element;  
    return;  
}
```

Purposes of the Default Constructor

The Destructor

```
int main()
{
    Vectr v(5, 123);
    {
        Vectr u = 5*v;
    }
    return 0;
}
```

- How many vectors are constructed by this program?
- When are they destroyed?

Counting Constructions

The Function `operator*()`

```
Vectr operator*(double s, const Vectr& v)
{
    return v.scalarMultiply(s);
}
```

```
Vectr Vectr::scalarMultiply(double s) const
{
    Vectr v(m_size);
    for (int i = 0; i < m_size; i++)
        v.m_element[i] = s * m_element[i];
    return v;
}
```

- How many vectors are constructed and destroyed in this example?

Outline

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function
- 2 The `this` Pointer
- 3 The Assignment Operator
 - The Automatic Assignment Operator
- 4 Assignment

The Automatic Destructor

- The automatic destructor
 - Invokes each data member's destructor.
 - Deallocates the memory used by the data members.
- The automatic destructor does not deallocate memory that pointers point to.
- The destructor for a pointer deallocates only the pointer itself.
- In other words, if a data member is a pointer, then the automatic destructor will probably create a memory leak.

- 1 The Destructor
 - The Automatic Destructor
 - **The `makeEmpty()` Function**
- 2 The `this` Pointer
- 3 The Assignment Operator
 - The Automatic Assignment Operator
- 4 Assignment

The `makeEmpty()` Function

The `makeEmpty()` Function

```
void makeEmpty()  
{  
    // Deallocate all memory allocated to the object  
    // Return the object to the "empty" state or  
    // the default state  
}
```

- Just as we write a `makeCopy()` function to facilitate the copy constructor, we may write a `makeEmpty()` function to facilitate the destructor.

The Destructor

The Destructor

```
Type::~Type()  
{  
    makeEmpty();  
}
```

makeEmpty()

Example (makeEmpty())

```
void makeEmpty()  
{  
    m_size = 0;  
    delete [] m_element;  
    m_element = NULL;  
    return;  
}  
  
~Vectr()  
{  
    makeEmpty();  
    return;  
}
```

Outline

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function
- 2 The `this` Pointer
- 3 The Assignment Operator
 - The Automatic Assignment Operator
- 4 Assignment

The `this` Pointer

- Every (non-static) member function has a hidden parameter named `this`.
- `this` is always the first parameter in such a function.
- `this` is a constant pointer to the object that invoked the member function.

*Type** **const this**

- `this` provides us with a name for the invoking object, i.e., ***this**.

The `this` Pointer

- When we write the prototype of a member function as

Apparent Prototype

```
Type::func(param_list);
```

the actual prototype is

Actual Prototype

```
Type::func(Type* const this, param_list);
```

The `this` Pointer

- Furthermore, when we create a *constant* member function

Apparent Prototype

```
Type::func(param_list) const;
```

the actual prototype is

Actual Prototype

```
Type::func(Type const* const this, param_list);
```

- In this case, **this** is a constant pointer to a constant object.

Usage of the `this` Pointer

- Inside a member function, we refer to a data member by its name, e.g. `m_size`.
- It is interpreted as `this->m_size`.

Usage of the `this` Pointer

- Inside a member function, we invoke another member function of the same class by the function's name, e.g.,
`scalarMultiply(5)`.
- It is interpreted as `this->scalarMultiply(5)`.

Outline

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function
- 2 The `this` Pointer
- 3 The Assignment Operator**
 - The Automatic Assignment Operator
- 4 Assignment

The Assignment Operator

The Assignment Operator Prototype

```
Type& Type::operator=(const Type&);
```

The Assignment Operator Usage

```
Object2 = Object1;
```

- The assignment operator assigns to an existing object the value of another existing object of the same type.
- The assignment operator must be a member function.
- It can be invoked only through the operator =.

Form of the Function `operator=()`

The Assignment Operator

```
Type& Type::operator=(const Type& value)
{
    if (this != &value)
    {
        // Clear out the old value
        // Assign the new value
    }
    return *this;
}
```

Form of the Function `operator=()`

The `makeEmpty()` and `makeCopy()` Functions

- `void makeEmpty();`
 - `void makeCopy(const Type& value);`
-
- `makeEmpty()` clears out the old value of the object.
 - `makeCopy()` assigns the new value to the object.
 - It is convenient write these two member functions and then use them in the copy constructor, the destructor, and the assignment operator (and the `input()` function).

The Assignment Operator

The Assignment Operator

```
Type& Type::operator=(const Type& value)
{
    if (this != &value)
    {
        makeEmpty();
        makeCopy(value);
    }
    return *this;
}
```

The `VecTr` Class Assignment Operator

Example (The `VecTr` Class Assignment Operator)

```
VecTr& operator=(const VecTr& v)
{
    if (this != &v)
    {
        makeEmpty();
        makeCopy(v);
    }
    return *this;
}
```

The `VecTr` Class Assignment Operator

Example (The `VecTr` Class Assignment Operator)

```
VecTr& operator=(const VecTr& v)
{
    if (this != &v)
    {
        makeEmpty();
        makeCopy(v);
    }
    return *this;
}
```

- (This is totally unnecessary in the `Point` class.)

The `input()` Function

The `input()` Function

```
void Type::input(istream& in)
{
    makeEmpty();    // Avoid memory leak
// Read the object
}
```

Outline

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function
- 2 The `this` Pointer
- 3 The Assignment Operator**
 - The Automatic Assignment Operator
- 4 Assignment

The Automatic Assignment Operator

- The automatic assignment operator uses each data member's assignment operator to assign values to them from the other object.

Multiple Assignments

- The assignment operator is *right-associative*.
- The statement

$$a = b = c = d;$$

is equivalent to

$$a = (b = (c = d));$$

Multiple Assignments

- What about the statements

```
((a = b) = c) = d;
```

and

```
(a = b) = (c = d);
```

- Are they legal?
- If so, what do they do?

Outline

- 1 The Destructor
 - The Automatic Destructor
 - The `makeEmpty()` Function
- 2 The `this` Pointer
- 3 The Assignment Operator
 - The Automatic Assignment Operator
- 4 Assignment

Assignment

Homework

- Read Sections 13.9, 14.5