

# The Decreasing-Time Algorithm

Lecture 36  
Sections 8.4

Robb T. Koether

Hampden-Sydney College

Wed, Apr 18, 2018

1 The Decreasing-Time Algorithm

2 Assignment

1 The Decreasing-Time Algorithm


2 Assignment

# The Decreasing-Time Algorithm

## Definition (The Decreasing-Time Algorithm)


The **decreasing-time algorithm** creates a priority list in which the tasks are arranged in order of decreasing time. It then proceeds as before.

## Example (The Decreasing-Time Algorithm)




- Apply the decreasing-time algorithm with 2 processors.

## Example (The Decreasing-Time Algorithm)



- Apply the decreasing-time algorithm with 2 processors.
- Apply it with 3 processors.



## Example (The Decreasing-Time Algorithm)



- Apply the decreasing-time algorithm with 2 processors.
- Apply it with 3 processors.
- Would it help to have 4 processors?



# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)





# Example

## Example (Priority-List Scheduling)




# Example

## Example (Priority-List Scheduling)




## Example (The Decreasing-Time Algorithm)




- Apply the decreasing-time algorithm with 2 processors.

## Example (The Decreasing-Time Algorithm)



- Apply the decreasing-time algorithm with 2 processors.
- Apply it with 3 processors.

## Example (The Decreasing-Time Algorithm)



- Apply the decreasing-time algorithm with 2 processors.
- Apply it with 3 processors.
- Would it help to have 4 processors?

Task	Label	Prec. Tasks
Set up tables and chairs	$TC(1.5)$	
Set tablecloths and napkins	$TN(0.5)$	$TC$
Make flower arrangements	$FA(2.2)$	
Unpack crystal, china, etc.	$CC(1.2)$	
Put place settings on table	$PS(1.8)$	$TN, CC$
Arrange table decorations	$TD(0.7)$	$FA, PS$
Set up the sound system	$SS(1.4)$	
Set up the bar	$SB(0.8)$	$TC$

- Schedule the project using 2 processors and the decreasing-time algorithm.

1 The Decreasing-Time Algorithm

2 Assignment

# Assignment

## Assignment

- Chapter 8: Exercises 43, 44, 45, 46, 49.